## FINAL OF CALCULUS

Exam Set: C

No credit will be given for an answer without reasoning.

1.

- (i) [5%] Find the constant a such that the function  $f(x) = ax^2(1-x)$  is a probability density function on the interval [0, 1].
- (ii) [5%] Keep the assumption in (i). Find the probability  $P(0 \le x \le 1/2)$ .

2.

- (i) [5%] Find  $f_y(8, -6)$  for  $f(x, y) = \sqrt{x^2 + y^2}$ .
- (ii) [5%] Find the limit

$$\lim_{x \to \infty} \frac{x}{\ln x}$$

3.

- (i) [5%] A ball is dropped from a height of 16 meters. Each time it drops *h* meters, it rebounds 0.6*h* meters. Find the total vertical distance travelled by the ball.
- (ii) [5%] Determine the convergence or divergence of the series

$$\sum_{k=1}^{\infty} \frac{1}{\sqrt[2]{k^3}}$$

- **4.** Consider the differential equation: y' = y(1 y).
  - (i) [5%] Find the general solution y(t).
  - (ii) [5%] Find the solution for the equation with initial condition y(0) = 1/2.

5.

(i) [5%] Evaluate the integral

$$\int \frac{\sin t \cos t}{\sqrt{1 + \cos^2 t}} \, dt.$$

(ii) [5%] Find the improper integral

$$\int_{-\infty}^{\infty} \frac{e^x}{(1+e^x)^2} \, dx.$$

6.

(i) [5%] Evaluate the double integral by changing the order of integration:

$$\int_0^1 \int_{\sqrt{x}}^1 \sin\left(\frac{y^3+1}{2}\right) dy \, dx.$$

(ii) [5%] Let f be a differentiable function such that f(0) = 4, f(3) = 5, and f'(3) = 5. What is  $\int_0^3 x f''(x) dx$ ?

7. [10%] Assume that the temperature T at a point (x, y, z) on the sphere  $x^2 + y^2 + z^2 = 1$  is given by

$$T(x, y, z) = 8xy^2z.$$

Use Lagrange multiplier method to find the point(s) on the sphere at which the temperature is greatest and the point(s) at which it is least.

- **8.** Estimate  $\sqrt[3]{67}$  by the following two methods:
  - (i) [5%] Apply Newton's method for two iterations to the function  $f(x) = x^3 67$  with initial guess  $x_1 = 4$ .
  - (ii) [5%] Use the degree-two Taylor polynomial centered at x = 64 to approximate the function  $g(x) = x^{1/3}$ . Then evaluate the Taylor polynomial at x = 67.

9.

(i) [5%] Consider a random variable X with probability

$$P(X=k) = e^{-4}\frac{4^k}{k!}$$

for  $k = 0, 1, 2, 3, \dots$  Find the expected value E[X].

- (ii) [5%] Find the standard deviation  $\sigma$  of the probability density function  $f(x) = 4e^{-4x}$ ,  $0 \le x < \infty$ .
- 10. [10%] Find the Taylor series centered at x = 0 of the function

$$f(x) = \ln\left(\frac{1+x}{1-x}\right).$$

Then find the radius of convergence of the Taylor series. [Hint:  $f(x) = \ln(1+x) - \ln(1-x)$ ]