

Calculus Final Exam Solution

Exam Set:C

$$\begin{aligned}
 1. \quad (a) \int_0^1 (x+3)\sqrt{2-x}dx &= -\int_0^1 (-x-3)\sqrt{2-x}dx \\
 &= -\int_0^1 (2-x-5)\sqrt{2-x}dx \\
 &= -\int_0^1 (2-x)^{\frac{3}{2}} - 5(2-x)^{\frac{1}{2}}dx \\
 &= \int_0^1 (2-x)^{\frac{3}{2}} - 5(2-x)^{\frac{1}{2}}d(2-x) \\
 &= \frac{2}{5}(2-x)^{\frac{5}{2}} - \frac{10}{3}(2-x)^{\frac{3}{2}} \Big|_0^1 \\
 &= -\frac{44}{15} + \frac{76\sqrt{2}}{15} \approx 4.2320
 \end{aligned}$$

$$\begin{aligned}
 (b) \int_0^1 \frac{e^{2x}}{e^{2x}+1} dx &= \frac{1}{2} \int_0^1 \frac{1}{e^{2x}+1} d(e^{2x}+1) \\
 &= \frac{1}{2} \ln(e^{2x}) + 1 \Big|_0^1 \\
 &= \frac{1}{2} [\ln(e^2+1) - \ln 2] \approx 0.7169
 \end{aligned}$$

$$\begin{aligned}
 (c) \int_0^4 |2x-1|dx &= \int_{\frac{1}{2}}^4 (2x-1)dx + \int_0^{\frac{1}{2}} (1-2x)dx \\
 &= x^2 - x \Big|_{\frac{1}{2}}^4 + x - x^2 \Big|_0^{\frac{1}{2}} \\
 &= \frac{25}{2}
 \end{aligned}$$

$$\begin{aligned}
 (d) \int_0^1 x(x+1)^{10}dx &= \int_0^1 (x+1-1)(x+1)^{10}dx \\
 &= \int_0^1 (x+1)^{11} - (x+1)^{10}d(x+1) \\
 &= \frac{1}{12}(x+1)^{12} - \frac{1}{11}(x+1)^{11} \Big|_0^1 \\
 &\approx 155.159
 \end{aligned}$$

$$\begin{aligned}
 2. \quad y &= (x^2+1)^{2x+5} \\
 \Rightarrow \ln y &= (2x+5) \ln(x^2+1) \\
 \Rightarrow \frac{1}{y} \frac{dy}{dx} &= \ln(x^2+1) + (2x+5) \frac{2x}{x^2+1} \\
 \Rightarrow \frac{dy}{dx} &= 2[\ln(x^2+1)](x^2+1)^{2x+5} + (4x^2+10x)(x^2+1)^{2x+4}
 \end{aligned}$$

$$\begin{aligned}
3. \quad (1) \quad & \frac{dR}{dx} = 50 - 0.02x + \frac{100}{x+1} \\
& \Rightarrow R = 50x - 0.01x^2 + 100 \ln|x+1| + C \\
& x = 0, \quad R = 0 \\
& \Rightarrow 0 = 100 \ln 1 + C \\
& \Rightarrow C = 0
\end{aligned}$$

$$\text{hence } R = 50x - 0.01x^2 + 100 \ln|x+1|$$

$$(2) \quad x = 1500$$

$$\begin{aligned}
R &= 50 \times 1500 - 0.01 \times 1500^2 + 100 \times \ln(1500 + 1) \\
&= 75000 - 22500 + 731.3887 \approx 53231.3887
\end{aligned}$$

$$\begin{aligned}
4. \quad & \frac{dV}{dt} = 10000(t - 6) \\
& \Rightarrow V = 5000t^2 - 60000t \\
& V(3) = -135000 \\
& V(0) = 0 \\
& V(3) - V(0) = -135000 \\
& \text{hence loss } 135000
\end{aligned}$$

$$\begin{aligned}
5. \quad & \text{Let } f(x) = \frac{5}{x^3 + 1} \\
& \int_0^2 \frac{5}{x^3 + 1} dx \approx \frac{1}{2}[f(\frac{1}{4}) + f(\frac{3}{4}) + f(\frac{5}{4}) + f(\frac{7}{4})] \\
& \approx 5.4596
\end{aligned}$$

$$\begin{aligned}
6. \quad & \int_1^2 (x-1)^3 dx + \int_0^1 (x-1)^3 - (x-1) dx \\
& = \int_1^2 (x-1-x^3+3x^2-3x+1) dx + \int_0^1 (x^3-3x^2+3x-1-x+1) dx \\
& = \int_1^2 (-x^3+3x^2-2x) dx + \int_0^1 (x^3-3x^2+2x) dx \\
& = \frac{1}{2}
\end{aligned}$$

$$7. \quad (a) \int_0^1 \pi \left(\frac{x^2}{3}\right)^2 dx = \pi \int_0^1 \frac{x^4}{9} dx = \frac{\pi}{9} \times \frac{x^5}{5} \Big|_0^1 = \frac{\pi}{45}$$

$$(b) \int_0^1 \left(\frac{x^2}{3} - (-3)\right)^2 \pi dx - 3^2 \pi = \frac{x^5}{45} + \frac{2x^3}{3} + 9x \Big|_0^1 = \frac{31\pi}{45} \quad \text{or} \quad \int_0^1 \left(\frac{x^2}{3} - (-3)\right)^2 \pi dx = \frac{436\pi}{45}$$

$$8. \quad P_d = -0.3x + 10 \quad \dots \quad \text{Demand}$$

$$P_s = 0.1x + 2 \quad \dots \quad \text{Supply}$$

$$P_d = P_s$$

$$\Rightarrow -0.3x + 10 = 0.1x + 2$$

$$\Rightarrow x = 20$$

$$\text{then } P_d = P_s = 4$$

$$\begin{aligned} \text{consumer surpluses} &= \int_0^{20} (\text{demand function} - \text{price}) dx \\ &= \int_0^{20} (-0.3x + 10 - 4) dx \\ &= -0.15x^2 + 6x \Big|_0^{20} \\ &= 60 \end{aligned}$$

$$\begin{aligned} \text{producer surpluses} &= \int_0^{20} (\text{price} - \text{supply function}) dx \\ &= \int_0^{20} 4 - (0.1x + 2) dx \\ &= 2x - 0.05x^2 \Big|_0^{20} \\ &= 20 \end{aligned}$$